

#### Oradell Public School District

350 Prospect Avenue | Oradell, NJ 07649 | oradellschool.org | (201)261-1180

our hope, our future

July 2023

Dear Parent/Guardian,

The state requires physical forms to participate in intramural sports at Oradell Public School, which includes the HoOPS basketball program. If your child wants to participate in the basketball program, the forms must be **completed and returned by Monday**, **November 13, 2023.** Any student who has not returned the physical forms by the required date cannot participate in the HoOPS program. The state required forms can be found on the OPS site.

\*\*\*On home page, please go to **Our School** then click on **Nurse's Office**. At the bottom of the page there is a link to **Health Information for Students Entering 6th Grade**. **Under that link you can find the HoOPS forms**\*\*\*

There are two parts to the Athletic Pre-Participation Physical Examination forms. The first part is the History Form, which is to be completed by the parent/guardian within 90 days of the activity. The second part of the Physical Examination and Clearance forms which are to be completed by the physician within 365 days of the activity. **Both parts need to be taken to your physician and then returned to the Nurses' Office as soon as they are all completed.** 

New State regulations require students and parents to sign the paperwork regarding **Sudden Cardiac Death** and **Sports Related Concussion and Head Injury** (both of these forms are included in the above link). Each form requires a signature from the parent **and** student. These signed forms must be returned along with the History, Physical and Clearance forms.

\*\*\*Please see attached **Checklist** to ensure all completed items are submitted on time. If you have any questions please call the Health Office at 201-261-1180 X4121.

Thank you,

Gina Marana MSN, RN, CSN-NJ

School Nurse



#### Oradell Public School District

Our children, our hope, our future

Checklist of paperwork **REQUIRED to** participate in the HoOPS Intramural Basketball Program:

☐ Physical Form - to be completed by the <b>doctor</b>
☐ Clearance Form - to be completed by the <b>doctor</b>
☐ History Form - to be completed by the <b>parent</b>
☐ Sudden Cardiac Death Pamphlet and Sign-off Sheet to be <b>signed</b> the <b>parent and student</b>
☐ Sport-Related Concussion and Head Injury Fact Sheet and Acknowledgement Form - to be signed by the parent and student
☐ HoOPS Permission Form - to be signed by the <b>narent</b>



our future

#### Oradell Public School District

350 Prospect Avenue | Oradell, NJ 07649 | oradellschool.org | (201)261-1180

### HoOPS 2023-2024

permission to participate in the HoOPS program. I am aware the crossing guards will be off duty at the time the students are dismissed. The program will end no later than 5:00 pm on the dates listed below. I give my child permission to leave early if he or she finishes playing before 5:00pm. My child has medical clearance to participate in the HoOPS Program.

Parent Name:

Parent Signature:

Best phone #'s to reach you during league:

CUT BELOW AND KEEP THE BOTTOM PORTION. RETURN THE TOP PORTION WITH PHYSICAL FORMS

HoOPS Dates are:

December 1st, 8th, 15th January 5th, 12th, 19th, 26th February 2nd

HoOPS may end prior to February 2nd. The number of students participating will determine the length of the season.

Come ready to play in your team color! You must wear sneakers. No jewelry allowed.

## PREPARTICIPATION PHYSICAL EVALUATION PHYSICAL EXAMINATION FORM

Name		Date of birth	
PHYSICIAN REMINDERS  1. Consider additional questions on more sensitive issues  • Do you feel stressed out or under a lot of pressure?  • Do you ever feel sad, hopelass, depressed, or anxious?			
Do you feel safe at your home or residence?  However, your hind elegation should be to be considered to the constant of t			
<ul> <li>Have you ever tried algerettes, chewing tobacco, snuff, or dip?</li> <li>During the past 30 days, did you use chewing tobacco, snuff, or dip?</li> </ul>			
Do you drink alcohol or use any other drugs?			
<ul> <li>Have you ever taken anabolic steroids or used any other performance supplement?</li> </ul>			
<ul> <li>Have you ever taken any supplements to help you gain or lose weight or improve your perion</li> <li>Do you wear a seat belt, use a helmet, and use condoms?</li> </ul>	nancer		
Consider reviewing questions on cardiovascular symptoms (questions 5-14).			
EXAMINATION	D. Comple		
Titight	☐ Female		
BP / ( / ) Pulse Vision			
MEDICAL	NORMAL	ADNORMAL FINDINGS	
Appearance  Martan stigmata (kyphoscollosis, high-arched palate, pectus excavatum, arachnodactyly, arm span > height, hyperiaxity, myopia, MVP, sortic insufficiency)		,	
Eyes/ears/nose/throat			
Pupils equal     Hearing			
Lymph nodes			
Heart *   Murmurs (auscultation standing, supine, +/- Valsalva)   Location of point of maximal impulse (PMI)	1 1 1		
Pulses  Simultaneous fomoral and radial pulsos			
Lungs			
Abdomen			
Genitourinary (males only)*			
Skin  HSV, lesions suggestive of MRSA, tinea corports			
Neurologic ¢			
MUSCULOBICELETOAL	Name of the last		
Neck			
Back			
Shoulder/arm	-		
Elbow/forearm	-		_
Wrist/hand/fingers	-	-	
Hip/thigh	-		
Knee Leg/ankle	-		
Foot/toes	-		
Functional			
Duck-walk, single leg hop			
*Consider ECG, echocardiogram, and referral to cardiology for abnormal cardisc history or exam. *Consider GU exam if in private setting. Having third party present is recommended. *Consider cognitive evaluation or baseline neuropsychiatric testing if a history of significant concussion.			
☐ Cleared for all sports without restriction			
☐ Cleared for all sports without restriction with recommendations for further evaluation or treatm	ent for		
□ Not cleared			
Pending further evaluation			
☐ For any sports			
☐ For certain sports			
Reason			
Recommendations			
I have examined the above-named student and completed the preparticipation physical eva- perticipate in the sport(s) as outlined above. A copy of the physical exam is an record in my tions arise after the athlete has been cleared for participation, the physician may rescind the explained to the athlete (and parents/guardiens).	office and can be mad	io available to the school at the request of the p	arents. If condi-
Name of physician (print/type)		Date	
Address			
Signature of physician			, MD or Do
aliling of hitagran			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
©2010 American Academy of Family Physicians, American Academy of Pediatrics, American Colleg Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is	je of Sports Medicine, Ar granted to reprint for no	merican Medical Society for Sports Medicine, Ameri oncommercial, educational purposes with acknowle	ican Orthopaedic edgment.

## ■ Preparticipation Physical Evaluation CLEARANCE FORM

Name		Sex 🗆 M 🗆 F Age	Date of birth
☐ Cleared	d for all sports withoutrestriction		
☐ Cleared	d for all sports without restriction with recommendations for further	evaluation or treatment for	
☐ Notclea	ared		
	☐ Pending further evaluation		
	☐ For any sports		
	☐ For certain sports	TEAVISION OF THE PROPERTY OF T	
Reason	Recommendations		
	TVOV INFORMATION		
	ENCY INFORMATION		
Allergies			
-		And the second s	
		· · · · · · · · · · · · · · · · · · ·	
			·
Otherinfor	mation		
HCP OFFIC	DE STAMP	SCHOOL PHYSICIAN:	
		Reviewed on	
			(Date)
		Approved N	ot Approved
		Signature:	
clinical c and can the phys	camined the above-named student and completed the pontraindications to practice and participate in the spontraindications to practice and participate in the spontraindicate in the problem is respected in the problem is respented and the clearance until the problem is respented in the problem in the problem is respented in the problem in the problem is respented in the problem in the problem in the problem is respectively.	ort(s) as outlined above. A copy of arents. If conditions arise after the	Ithe physical examis on record in my office eathlete has been cleared for participation,
Name of	physician, advanced practice nurse (APN), physician ass	sistant (PA)	Date
Address	physician, advanced produce natice (1000), physician		
	of physician, APN, PA		
_	d Cardiac Assessment Professional Development Module		
Date	Signature		

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medical Society for Sports Medicine, American Orthopaedic Society for Sports Medicine, and American Osteopathic Academy of Sports Medicine. Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

## PREPARTICIPATION PHYSICAL EVALUATION HISTORY FORM

(Note: This form is to be filled out by the patient and parent prior to seeing the physician. The physician should keep this form in the chart.)

Name	-		Date of birth Sport(s)				
Sex _	Age	Grade Sch	ool Sport(s)				
Media	cines and Allergies: Please	list all of the prescription and over-	-the-co	unter m	edicines and supplemente (herbal and nutritional) that you are currently	taking	
	u have any allergles? 🔻 🗆 edicines	l Yes 🗆 No If yes, please ider 🗆 Pollens	ntify spe		ergy below.  ☐ Food ☐ Stinging Insects		
Explain	"Yes" answers below. Circle	questions you don't know the an	swers t	Ď.			
BENE	IAL QUESTIONS		Yes	No	MEDICAL QUESTIONS	Yes	No
	s a doctor ever denied or restrict y reason?	ed your participation in sports for			26. Do you cough, wheeze, or have difficulty breathing during or after exercise?		
be	you have any ongoing medical c low:   Asthma  Anemia	conditions? If so, please identify  Diabetes Infections			27. Have you ever used an Inhaler or takan asthma medicine? 28. Is there anyone in your family who has asthma?		
	her: ve you ever spent the night in the	e hospital?			29. Were you born without or are you missing a kidney, an eye, a testicle (males), your spisen, or any other organ?		
4. HE	ve you ever had surgery?				30. Do you have groin pain or a painful bulge or hernia in the groin area?		
	HEALTH QUESTIONS ABOUT V		Yes	No	31. Have you had infectious mononucleosis (mono) within the last month?		_
	ive you ever passed out or nearly TER exercise?	passed out DURING or			32. Do you have any rashes, pressure sores, or other skin problems?  33. Have you had a herpes or MRSA skin infection?	-	-
	ive you ever had discomfort, pain	, tightness, or pressure in your			34. Have you ever had a head injury or concussion?		
_	est during exercise? ses your heart ever rece or skip b	eats (irregular beats) during exercise?			35. Have you ever had a hit or blow to the head that caused confusion, prolonged headache, or memory problems?		
	is a doctor ever told you that you	have eny heart problems? If so,			36. Do you have a history of selzure disorder?		
	eck all that apply:    High blood pressure	A heart murmur			37. Do you have headaches with exercise?		
	High cholesterol	A heart Infection			38. Have you ever had numbness, tingling, or weekness in your sims or legs after being hit or falling?		
9. H		r your heart? (For example, ECG/EKG,			39. Have you ever been unable to move your arms or legs after being hit or falling?		
10. D	you get lightheaded or feel more	e short of breath than expected			40. Have you ever become III while exercising in the heat? 41. Do you get frequent muscle cramps when exercising?		
	ave you ever had an unexplained	selzure?			42. Do you or someone in your family have sickle cell trail or disease?	_	
12. D	you get more tired or short of br	reath more quickly than your friends			43. Have you had any problems with your eyes or vision?		
_	ring exercise? <b>T HEALTH QUESTIONS ABOUT \</b>	MID PARILY	Yes	No	44. Have you had any eye injuries?	↓	
		died of heart problems or had an	103	160	45. Do you wear glasses or contact lenses?		
U	expected or unexplained sudden				46. Do you wear protective eyewear, such as goggles or a face shield?  47. Do you worry about your weight?		
9)	ndrome, annythmogenic right ve	ypertrophic cardiomyopathy, Marfan ntricular cardiomyopathy, long QT			48. Are you trying to or has anyone recommended that you gain or lose weight?		
	mdrome, shart QT syndrome, Bru Nymorphic ventricular tachycardii	gada syndrome, or catecholaminergic a?			49. Are you on a special diet or do you avoid certain types of foods?	_	
15. D	oes anyone in your family have a				50. Have you ever had an eating disorder?  51. Do you have any concerns that you would like to discuss with a doctor?	-	-
	nplanted defibrillator? as anyone in your family had une:	xplained fainting, unexplained			FEMALES ORLY		18/26
se	lzures, or near drowning?	, , , , , , , , , , , , , , , , , , , ,			52. Have you ever had a mensitual period?		
	AND JOINT QUESTIONS		Yes	No	53. How old were you when you had your first menstrual period?	├	
17. H	ave you ever had an injury to a bo at caused you to miss a practice	one, muscle, ligament, or tendon or a geme?			54. How many periods have you had in the last 12 months?  Explain "yes" answers here		
18. H	ave you ever had any broken or fr	actured bones or dislocated joints?			Expair yes answered .		
	ave you ever had an injury that re jections, therapy, a brace, a cast,				-		
	ave you ever had a stress fracture						
21. H	ave you ever been told that you his stability or allantoaxial instability	ave or have you had an x-ray for neck ? (Down syndrome or dwarlism)					
	you regularly use a brace, ortho						
	o you have a bone, muscle, or join						
		ul, swollen, teel warm, or look red?					
_		arthritis or connective tissue disease?	L		diana an annutah and annut		
	by state that, to the best of	my knowledge, my answers to			stions are complete and correct.		
-						Odhoner	ndic
W2010	American Academy of Family Po	ysicialis, Pulicilicali Acadeliny di Pediam	LO, MINH	rvali UUII	lege of Sports Medicine, American Medical Society for Sports Medicine, American	ы илирав	MID

©2010 American Academy of Family Physicians, American Academy of Pediatrics, American College of Sports Medicine, American Medicine, American Medicine, American Medicine, American Medicine, Permission is granted to reprint for noncommercial, educational purposes with acknowledgment.

NEOSO3

9-26810410

#### ■ PREPARTICIPATION PHYSICAL EVALUATION

## THE ATHLETE WITH SPECIAL NEEDS: SUPPLEMENTAL HISTORY FORM

Name				Date of birth		
	-	Over de-	Cabaal	Sport(s)		
Sex _	Age	Grade	School	Sport(s)		
1 T	ype of disability					
	Pate of disability					
_	Classification (if available)					
		:id4/h				
		isease, accident/trauma, other)				
5. L	ist the sports you are inte	rested in playing			Yes	No
SACT					103	110
		ce, assistive device, or prostheti			4	
		ace or assistive device for sports				
		ressure sores, or any other skin	problems?			
		s? Do you use a hearing aid?				
10. D	Oo you have a visual impa	irment?				
11. D	Do you use any special de	vices for bowel or bladder functi	on?			
12. D	Do you have burning or di	scomfort when urinating?				
	lave you had autonomic o		*			
14. H	lave you ever been diagn	osed with a heat-related (hypert	hermia) or cold-related (hypothermia) illnes	ss?		
_	Do you have muscle spast					
16. C	Do you have frequent seiz	ures that cannot be controlled by	y medication?	*		
	in "yes" answers here					
-vhin	in yes unstrete here					
Pleas	e indicate if you have ex	er had any of the following.				
11000	o mandato in you mand o	<u> </u>			Yes	No
Atlan	ntoaxial instability					
	y evaluation for atlantoaxi	al instability				
_	cated joints (more than o	al ilistability				l .
	icateo iomis miore man o	no)				
		ne)		<del>-</del>		
	bleeding	ne)				
Enlar	bleeding rged spleen	ne)				
Enlar Hepa	bleeding rged spleen atitis	ne)				
Enlar Hepa Oste	bleeding rged spleen atitis openia or osteoporosis	ne)				
Enlar Hepa Oster Diffic	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel	ne)				
Enlar Hepa Oster Diffic	rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder					
Enlar Hepa Oste Diffic Diffic	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder obness or tingling in arms	or hands				
Enlar Hepa Oster Diffic Diffic	rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder	or hands				
Enlar Hepa Oste Diffic Num Num	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder obness or tingling in arms	or hands				
Enlar Hepa Oste Diffic Num Num Weal	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of	or hands				
Enlar Hepa Oster Diffic Num Num Weal	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling blader abness or tingling in arms abness or tingling in legs of kness in arms or hands	or hands or feet				
Enlar Hepa Oste Diffic Num Num Weal Weal	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet	or hands or feet				
Enlar Hepa Oste Diffic Num Num Weal Weal Rece	rged spleen attitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spin	bleeding rged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spin: Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spins Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spins Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spins Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spins Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spins Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spin: Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Weal Rece Spin: Late:	riged spleen atitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Rece Spin. Late:	riged spleen attitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy alin "yes" answers here	or hands or feet				
Enlar Hepa Oster Diffic Num Num Weal Rece Spin. Late:	riged spleen attitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy alin "yes" answers here	or hands or feet	ers to the above questions are complete	and correct.		
Enlar Hepa Oster Diffic Num Num Weal Rece Spin Late:	riged spleen attitis openia or osteoporosis culty controlling bowel culty controlling bladder abness or tingling in arms abness or tingling in legs of kness in arms or hands kness in legs or feet ent change in coordination ent change in ability to wa a bifida x allergy alin "yes" answers here	or hands or feet	ers to the above questions are complete  Signature of parent/guardian	and correct.	Date	

#### **Website Resources**

- Sudden Death in Athletes http://tinyurl.com/m2gjmvq
- Hypertrophic Cardiomyopathy Association www.4hcm.org
- American Heart Association www.heart.org

#### **Collaborating Agencies:**

#### American Academy of Pediatrics New Jersey Chapter

3836 Quakerbridge Road, Suite 108 Hamilton, NJ 08619 (p) 609-842-0014 (f) 609-842-0015 www.aapni.org



#### **American Heart Association**

1 Union Street, Suite 301 Robbinsville, NJ, 08691 (p) 609-208-0020 www.heart.org



#### **New Jersey Department of Education**

PO 8ox 500 Trenton, NJ 08625-0500 (p) 609-292-5935

www.state.nj.us/education/

New Jersey Department of Health

P. O. Box 360 Trenton, NJ 08625-0360 (p) 609-292-7837 www.state.nj.us/health




Lead Author: American Academy of Pediatrics, New Jersey Chapter

Written by: Initial draft by Sushma Raman Hebbar, MD & Stephen G. Rice, MD PhD

Additional Reviewers: NJ Department of Education, NJ Department of Health and Senior Services, American Heart Association/New Jersey Chapter, NJ Academy of Family Practice, Pediatric Cardiologists, New Jersey State School Nurses

Revised 2014: Nancy Curry, EdM; Christene DeWitt-Parker, MSN, CSN, RN; Lakota Kruse, MD, MPH; Susan Martz, EdM; Stephen G. Rice, MD; Jeffrey Rosenberg, MD, Louis Teichholz, MD; Perry Weinstock, MD



The Basic Facts on Sudden Cardiac Death in Young Athletes



American Academy of Pediatrics
DEDICATED TO THE HEALTH OF ALL CHILDREN



American Heart Association

Learn and Live



SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Sudden death in young athletes between the ages of 10 and 19 is very rare. What, if anything, can be done to prevent this kind of tragedy?

### What is sudden cardiac death in the young athlete?

Sudden cardiac death is the result of an unexpected failure of proper heart function, usually (about 60% of the time) during or immediately after exercise without trauma. Since the heart stops pumping adequately, the athlete quickly collapses, loses consciousness, and ultimately dies unless normal heart rhythm is restored using an automated external defibrillator (AED).

### How common is sudden death in young athletes?

Sudden cardiac death in young athletes is very rare. About 100 such deaths are reported in the United States per year. The chance of sudden death occurring to any individual high school athlete is about one in 200,000 per year.

Sudden cardiac death is more common: in males than in females; in football and basketball than in other sports; and in African-Americans than in other races and ethnic groups.

#### What are the most common causes?

Research suggests that the main cause is a loss of proper heart rhythm, causing the heart to quiver instead of pumping blood to the brain and body. This is called ventricular fibrillation (ven-TRICK-you-lar fibroo-LAY-shun). The problem is usually caused by one of several cardiovascular abnormalities and electrical diseases of the heart that go unnoticed in healthy-appearing athletes.

The most common cause of sudden death in an athlete is hypertrophic cardiomyopathy (hi-per-TRO-fic CAR- dee-oh-my-OP-a-thee) also called HCM. HCM is a disease of the heart, with abnormal thickening of the heart muscle, which can cause serious heart rhythm problems and blockages to blood flow. This genetic disease runs in families and usually develops gradually over many years.

The second most likely cause is congenital (con-JEN-it-al) (i.e., present from birth)
abnormalities of the coronary

arteries. This means that these blood vessels are connected to the main blood vessel of the heart in an abnormal way. This differs from blockages that may occur when people get older (commonly called "coronary artery disease," which may lead to a heart attack).

#### SUDDEN CARDIAC DEATH IN YOUNG ATHLETES

Other diseases of the heart that can lead to sudden death in young people include:

- Myocarditis (my-oh-car-DIE-tis), an acute inflammation of the heart muscle (usually due to a virus).
- Dilated cardiomyopathy, an enlargement of the heart for unknown reasons.
- Long QT syndrome and other electrical abnormalities of the heart which cause abnormal fast heart rhythms that can also run in families.
- Marfan syndrome, an inherited disorder that affects heart valves, walls of major arteries, eyes and the skeleton. It is generally seen in unusually tall athletes, especially if being tall is not common in other family members.

#### Are there warning signs to watch for?

In more than a third of these sudden cardiac deaths, there were warning signs that were not reported or taken seriously. Warning signs are:

- Fainting, a seizure or convulsions during physical activity;
- Fainting or a seizure from emotional excitement, emotional distress or being startled:
- Dizziness or lightheadedness, especially during exertion;
- Chest pains, at rest or during exertion;
- Palpitations awareness of the heart beating unusually (skipping, irregular or extra beats) during athletics or during cool down periods after athletic participation;
- Fatigue or tiring more quickly than peers; or
- Being unable to keep up with friends due to shortness of breath (labored breathing).

### What are the current recommendations for screening young athletes?

New Jersey requires all school athletes to be examined by their primary care physician ("medical home") or school physician at least once per year. The New Jersey Department of Education requires use of the specific Preparticipation Physical Examination Form (PPE).

This process begins with the parents and student-athletes answering questions about symptoms during exercise (such as chest pain, dizziness, fainting, palpitations or shortness of breath); and questions about family health history.

The primary healthcare provider needs to know if any family member died suddenly during physical activity or during a seizure. They also need to know if anyone in the family under the age of 50 had an unexplained sudden death such as drowning or car accidents. This information must be provided annually for each exam because it is so essential to identify those at risk for sudden cardiac death.

The required physical exam includes measurement of blood pressure and a careful listening examination of the heart, especially for murmurs and rhythm abnormalities. If there are no warning signs reported on the health history and no abnormalities discovered on exam, no further evaluation or testing is recommended.

### Are there options privately available to screen for cardiac conditions?

Technology-based screening programs including a 12-lead electrocardiogram (ECG) and echocardiogram (ECHO) are noninvasive and painless options parents may consider in addition to the required

PPE. However, these procedures may be expensive and are not currently advised by the American Academy of Pediatrics and the American College of Cardiology unless the PPE reveals an indication for these tests. In addition to the expense, other limitations of technology-based tests include the possibility of "false positives" which leads to unnecessary stress for the student and parent or guardian as well as unnecessary restriction from athletic participation.

The United States Department of Health and Human Services offers risk assessment options under the Surgeon General's Family History Initiative available at http://www.hhs.gov/familyhistory/index.html.

### When should a student athlete see a heart specialist?

If the primary healthcare provider or school physician has concerns, a referral to a child heart specialist, a pediatric cardiologist, is recommended. This specialist will perform a more thorough evaluation, including an electrocardiogram (ECG), which is a graph of the electrical activity of the heart. An echocardiogram, which is an ultrasound test to allow for direct visualization of the heart structure, will likely also be done. The specialist may also order a treadmill exercise test and a monitor to enable a longer recording of the heart rhythm. None of the testing is invasive or uncomfortable.

### Can sudden cardiac death be prevented just through proper screening?

A proper evaluation should find most, but not all, conditions that would cause sudden death in the athlete. This is because some diseases are difficult to uncover and may only develop later in life. Others can develop following a normal screening evaluation, such as an infection of the heart muscle from a virus.

This is why screening evaluations and a review of the family health history need to be performed on a yearly basis by the athlete's primary healthcare provider. With proper screening and evaluation, most cases can be identified and prevented.

### Why have an AED on site during sporting events?

The only effective treatment for ventricular fibrillation is immediate use of an automated external defibrillator (AED). An AED can restore the heart back into a normal rhythm. An AED is also life-saving for ventricular fibrillation caused by a blow to the chest over the heart (commotio cordis).

N.J.S.A. 18A:40-41a through c, known as "Janet's Law," requires that at any schoolsponsored athletic event or team practice in New Jersey public and nonpublic schools including any of grades K through 12, the following must be available:

- An AED in an unlocked location on school property within a reasonable proximity to the athletic field or gymnasium; and
- A team coach, licensed athletic trainer, or other designated staff member if there is no coach or licensed athletic trainer present, certified in cardiopulmonary resuscitation (CPR) and the use of the AED; or
- A State-certified emergency services provider or other certified first responder.

The American Academy of Pediatrics recommends the AED should be placed in central location that is accessible and ideally no more than a 1 to 1½ minute walk from any location and that a call is made to activate 911 emergency system while the AED is being retrieved.



# Sudden Cardiac Death Pamphlet Sign-Off Sheet

Name of School District:
Name of Local School:
I/We acknowledge that we received and reviewed the Sudden Cardiac Death in Young Athletes pamphlet.
Student Signature:
Parent or Guardian Signature:
Date:

### Sports-Related Concussion and Head Injury Fact Sheet and Parent/Guardian Acknowledgement Form

A concussion is a brain injury that can be caused by a blow to the head or body that disrupts normal functioning of the brain. Concussions are a type of Traumatic Brain Injury (TBI), which can range from mild to severe and can disrupt the way the brain normally functions. Concussions can cause significant and sustained neuropsychological impairment affecting problem solving, planning, memory, attention, concentration, and behavior.

The Centers for Disease Control and Prevention estimates that 300,000 concussions are sustained during sports related activities nationwide, and more than 62,000 concussions are sustained each year in high school contact sports. Second-impact syndrome occurs when a person sustains a second concussion while still experiencing symptoms of a previous concussion. It can lead to severe impairment and even death of the victim.

Legislation (P.L. 2010, Chapter 94) signed on December 7, 2010, mandated measures to be taken in order to ensure the safety of K-12 student-athletes involved in interscholastic sports in New Jersey. It is imperative that athletes, coaches, and parent/guardians are educated about the nature and treatment of sports related concussions and other head injuries. The legislation states that:

- All Coaches, Athletic Trainers, School Nurses, and School/Team Physicians shall complete an Interscholastic Head Injury Safety Training Program by the 2011-2012 school year.
- All school districts, charter, and non-public schools that participate in interscholastic sports will distribute
  annually this educational fact to all student athletes and obtain a signed acknowledgement from each
  parent/guardian and student-athlete.
- Each school district, charter, and non-public school shall develop a written policy describing the prevention and treatment of sports-related concussion and other head injuries sustained by interscholastic student-athletes.
- Any student-athlete who participates in an interscholastic sports program and is suspected of sustaining a concussion will be immediately removed from competition or practice. The student-athlete will not be allowed to return to competition or practice until he/she has written clearance from a physician trained in concussion treatment and has completed his/her district's graduated return-to-play protocol.

#### **Quick Facts**

- Most concussions do not involve loss of consciousness
- You can sustain a concussion even if you do not hit your head
- A blow elsewhere on the body can transmit an "impulsive" force to the brain and cause a concussion

#### Signs of Concussions (Observed by Coach, Athletic Trainer, Parent/Guardian)

- Appears dazed or stunned
- Forgets plays or demonstrates short term memory difficulties (e.g. unsure of game, opponent)
- Exhibits difficulties with balance, coordination, concentration, and attention
- Answers questions slowly or inaccurately
- Demonstrates behavior or personality changes
- Is unable to recall events prior to or after the hit or fall

#### **Symptoms of Concussion (Reported by Student-Athlete)**

- Headache
- Nausea/vomiting
- Balance problems or dizziness
- Double vision or changes in vision

- Sensitivity to light/sound
- Feeling of sluggishness or fogginess
- Difficulty with concentration, short term memory, and/or confusion

#### What Should a Student-Athlete do if they think they have a concussion?

- Don't hide it. Tell your Athletic Trainer, Coach, School Nurse, or Parent/Guardian.
- Report it. Don't return to competition or practice with symptoms of a concussion or head injury. The sooner you report it, the sooner you may return-to-play.
- Take time to recover. If you have a concussion your brain needs time to heal. While your brain is healing you are much more likely to sustain a second concussion. Repeat concussions can cause permanent brain injury.

#### What can happen if a student-athlete continues to play with a concussion or returns to play to soon?

- Continuing to play with the signs and symptoms of a concussion leaves the student-athlete vulnerable to second impact syndrome.
- Second impact syndrome is when a student-athlete sustains a second concussion while still having symptoms from a previous concussion or head injury.
- Second impact syndrome can lead to severe impairment and even death in extreme cases.

### Should there be any temporary academic accommodations made for Student-Athletes who have suffered a concussion?

- To recover cognitive rest is just as important as physical rest. Reading, texting, testing-even watching
  movies can slow down a student-athletes recovery.
- Stay home from school with minimal mental and social stimulation until all symptoms have resolved.
- Students may need to take rest breaks, spend fewer hours at school, be given extra time to complete assignments, as well as being offered other instructional strategies and classroom accommodations.

### Student-Athletes who have sustained a concussion should complete a graduated return-to-play before they may resume competition or practice, according to the following protocol:

- Step 1: Completion of a full day of normal cognitive activities (school day, studying for tests, watching
  practice, interacting with peers) without reemergence of any signs or symptoms. If no return of symptoms,
  next day advance.
- Step 2: Light Aerobic exercise, which includes walking, swimming, and stationary cycling, keeping the intensity below 70% maximum heart rate. No resistance training. The objective of this step is increased heart rate.
- Step 3: Sport-specific exercise including skating, and/or running: no head impact activities. The objective
  of this step is to add movement.
- Step 4: Non contact training drills (e.g. passing drills). Student-athlete may initiate resistance training.
- Step 5: Following medical clearance (consultation between school health care personnel and studentathlete's physician), participation in normal training activities. The objective of this step is to restore confidence and assess functional skills by coaching and medical staff.
- Step 6: Return to play involving normal exertion or game activity.

For further information on Sports-Related Con www.cdc.gov/concussion/sports/inde				
www.ncaa.org/health-safety	www.bianj.org	www.atsnj.org		
Signature of Student-Athlete	Print Student-A	thlete's Name	Date	
Signature of Parent/Guardian	Print Parent/Gu	ardian's Name	Date	